

Water Supply Pipe ,Dark Grey, Single Solvent Socket ,6m



Standard :ISO 1452-2

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal Pressure (Bar)	Weight (kg)
PG 0022 P	1.5	20	16	0.800
PG 0023 P	1.9	20	20	1.000
PG 0038 P	1.5	25	12.5	1.000
PG 0039 P	1.9	25	16	1.200
PG 0040 P	2.3	25	20	1.500
PG 0059 P	1.5	32	8	1.300
PG 0053 P	1.9	32	12.5	1.600
PG 0054 P	2.4	32	16	1.900
PG 0071 P	1.9	40	10	2.000
PG 0072 P	3	40	16	3.000
PG 0312 P	2.4	50	10	3.200
PG 0314 P	3.7	50	16	4.700
PG 0638 P	2	63	6	3.500
PG 0636 P	3	63	10	5.000
PG 0637 P	4.7	63	16	7.500
PG 0995 P	3.6	75	10	7.000
PG 0996 P	5.6	75	16	10.600
PG 1318 P	2.8	90	6	6800
PG 1316 P	4.3	90	10	10.000

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal Pressure (Bar)	Weight (kg)
PG 1317 P	6.7	90	16	15.400
PG 1684 P	2.7	110	6	8.000
PG 1685 P	3.4	110	8	10.100
PG 1679 P	4.2	110	10	12.200
PG 1680 P	5.3	110	12.5	15.300
PG 1681 P	6.6	110	16	18.800
PG 2225 P	3.1	125	6	10.500
PG 2220 P	4.8	125	10	15.900
PG 2221 P	6	125	12.5	19.600
PG 2222 P	7.4	125	16	23.900
PG 2863 P	4	160	6	17.100
PG 2865 P	4.9	160	8	21.000
PG 2866 P	6.2	160	10	26.300
PG 2867 P	7.7	160	12.5	32.300
PG 2868 P	9.5	160	16	39.400
PG 2869 P	11.8	160	20	48.200
PG 3461 P	4.9	200	6	26.500
PG 3463 P	7.7	200	10	40.700
PG 4016 P	8.6	225	10	51.200
PG 4017 P	10.8	225	12.5	63.900
PG 4292 P	6.2	250	6	41.700
PG 4294 P	9.6	250	10	63.500
PG 4296 P	14.8	250	16	96.600
PG 5177 P	7.7	315	6	66.500

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal Pressure (Bar)	Weight (kg)
PG 5178 P	9.7	315	8	81.500
PG 5173 P	12.1	315	10	101.500
PG 5174 P	15.0	315	12.5	124.800
PG 5175 P	18.7	315	16	154.000
PG 5176 P	23.2	315	20	187.200
PG 5768 P	8.7	355	6	84.000
PG 5769 P	10.9	355	8	104.400
PG 5770 P	13.6	355	10	128.700
PG 5771 P	16.9	355	12.5	158.300
PG 5772 P	21.1	355	16	195.600
PG 5773 P	26.1	355	20	238.000
PG 6172 P	9.8	400	6	106.500
PG 6174 P	12.3	400	8	132.200
PG 6175 P	15.3	400	10	163.400
PG 6176 P	19.1	400	12.5	201.600
PG 6177 P	23.7	400	16	247.000
PG 6178 P	29.4	400	20	301.500