

Water Supply Pipe ,Push Fit ,Dark Grey, Single Solvent Socket ,6m



Standard :ISO 1452-2

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal Pressure (Bar)	Weight (kg)
PG 0332 P	1.6	50	6	2.200
PG 0328 P	2.4	50	10	3.200
PG 0331 P	3.0	50	12.5	4.000
PG 0330 P	3.7	50	16	4.700
PG 0654 P	3.0	63	10	5.000
PG 0655 P	4.7	63	16	7.500
PG 1014 P	2.9	75	8	6.100
PG 1011 P	3.6	75	10	7.000
PG 1012 P	5.6	75	16	10.600
PG 1336 P	2.8	90	6	6.800
PG 1334 P	4.3	90	10	10.000
PG 1335 P	6.7	90	16	15.400

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal Pressure (Bar)	Weight (kg)
PG 1708 P	2.7	110	6	8.000
PG 1709 P	3.4	110	8	10.100
PG 1703 P	4.2	110	10	12.200
PG 1704 P	5.3	110	12.5	15.300
PG 1705 P	6.6	110	16	18.800
PG 2249 P	3.1	125	6	10.500
PG 2244 P	4.8	125	10	15.900
PG 2245 P	6.0	125	12.5	19.600
PG 2246 P	7.4	125	16	23.900
PG 2893 P	4	160	6	17.100
PG 2895 P	4.9	160	8	21.000
PG 2896 P	6.2	160	10	26.300
PG 2897 P	7.7	160	12.5	32.300
PG 2898 P	9.5	160	16	39.400
PG 2899 F	11.8	160	20	48.000
PG 3489 P	4.9	200	6	26.400
PG 3491 P	7.7	200	10	40.700
PG 3492 P	9.6	200	12.5	50.500
PG 3493 P	11.9	200	16	61.500
PG 3494 P	14.7	200	20	74.800
PG 4036 P	8.6	225	10	51.200
PG 4037 P	10.8	225	12.5	63.900
PG 4322 P	6.2	250	6	41.700
PG 4324 P	9.6	250	10	63.500

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal Pressure (Bar)	Weight (kg)
PG 4325 P	11.9	250	12.5	78.000
PG 4326 P	14.8	250	16	96.000
PG 4327 P	18.4	250	20	117.000
PG 5207 P	7.7	315	6	65.000
PG 5208 P	9.7	315	8	81.500
PG 5203 P	12.1	315	10	101.000
PG 5204 P	15.0	315	12.5	124.000
PG 5205 P	18.7	315	16	153.000
PG 5206 P	23.2	315	20	186.000
PG 5788 P	8.7	355	6	84.000
PG 5789 P	10.9	355	8	104.000
PG 5790 P	13.6	355	10	128.000
PG 5791 P	16.9	355	12.5	157.000
PG 5792 P	21.1	355	16	194.000
PG 5793 P	26.1	355	20	236.000
PG 6202 P	9.8	400	6	106.500
PG 6204 P	12.3	400	8	131.500
PG 6205 P	15.3	400	10	162.000
PG 6206 P	19.1	400	12.5	200.000
PG 6207 P	23.7	400	16	245.000
PG 6208 P	29.4	400	20	299.000
PG 6804 P	11.0	450	6	133.500
PG 6800 P	13.8	450	8	165.500
PG 6801 P	17.2	450	10	204.500

Code No .	Thickness (mm)	Nominal Outside Diameter (mm)	Nominal Pressure (Bar)	Weight (kg)
PG 6802 P	21.5	450	12.5	253.000
PG 6806 P	26.7	450	16	310.000
PG 6807 P	33.1	450	20	378.000
PG 7402 P	12.3	500	6	165.000
PG 7406 P	15.3	500	8	204.000
PG 7404 P	19.1	500	10	252.000
PG 7407 P	23.9	500	12.5	312.000
PG 7405 P	29.7	500	16	383.000
PG 7408 P	36.8	500	20	467.000
PG 8600 P	13.7	560	6	205.500
PG 8601 P	17.2	560	8	256.000
PG 8602 P	21.4	560	10	316.000
PG 8603 P	26.7	560	12.5	390.000
PG 8002 P	15.4	630	6	260.000
PG 8004 P	19.3	630	8	323.000
PG 8005 P	24.1	630	10	400.000
PG 8006 P	30.0	630	12.5	493.000